Product RELOAD 6-CONCENTRATED GLASS AND STAINLESS CLEANER

Revision Date 25/06/2015

SAFETY DATA SHEET

Revision

01/04/2012 **Supersedes Date**



SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name RELOAD 6-CONCENTRATED GLASS AND STAINLESS CLEANER

Product code **REAQUAGLASS**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent.

1.3. Details of the supplier of the safety data sheet

Supplier Kitchenmaster NI Ltd

11 Comber Road

Belfast BT8 8AN 028 9081477 02890812881

sales@kitchenmaster-ni.com

Contact Person SDS Contact: sds@kitchenmaster-ni.com

1.4. Emergency telephone number

Emergency Telephone Number: 028 9081 4777

08:30 – 17:00 Monday to Thursday 08:30 – 16:30 Friday

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

2.1.1 Classification (EC 1272/2008)

Physical and Chemical

Hazards

Not classified.

Not classified. **Human Health** Not classified. **Environment**

2.1.2 Classification (1999/45/EEC)

Not classified.

2.2. Label elements

2.2.1 Label in Accordance With (EC) No. 1272/2008

Not applicable **Contains**

Detergent Labelling < 5% anionic surfactants

Phosphonates

Pictogram(s) No pictogram required.

Signal Word

Hazard Statements

Precautionary Statements

2.3. Other hazards

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

This product is a preparation.

3.2. Mixtures

Product name	Product identifier	REACH Registration	%	Classification (1999/45/EEC)	Classification (EC 1272/2008)
2-BUTOXYETHANOL	CAS: 111-76-2 EC: 203-905-0	01-2119475108-36- xxxx	1-10%	Xn;R20/21/22 Xi;R36/38	Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319
ETHANOL	CAS: 64-17-5 EC: 200-578-6		20-30%	F;R11	Flam. Liq. 2 - H225
SODIUM HYDROXIDE	CAS: 1310-73-2 EC: 215-185-5		< 1%	C;R35.	Skin Corr. 1A - H314
SODIUM XYLENE SULPHONATE	CAS: 1300-72-7 EC: 215-090-9		1-10%	Xi;R36/37/38.	Not classified.
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	CAS: 68439-57-6 EC: 270-407-8		< 1%	Xi;R36/38. N;R51/53.	Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Aquatic Chronic 2 - H411

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

The data shown are in accordance with the latest EC Directives. No classified ingredients, or those having occupational exposure limits, present above the levels of disclosure

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Information General first aid, rest, warmth and fresh air.

Inhalation Provide rest, warmth and fresh air. Get medical attention if any discomfort continues

Ingestion Rinse mouth thoroughly. Get medical attention if any discomfort continues.

Skin contact Get medical attention if any discomfort occurs.

Eye contact Do not rub eye. Immediately flush with plenty of water or eyewash solution for up to 15 minutes. Make

sure to remove any contact lenses from the eyes before rinsing. Obtain medical attention for all cases

where eye contact occurs .

4.2. Most important symptoms and effects, both acute and delayed

 Inhalation
 No specific symptoms noted.

 Ingestion
 May cause discomfort if swallowed.

 Skin contact
 No specific symptoms noted.

 Eye contact
 No specific symptoms noted.

4.3. Indication of any immediate medical attention and special treatment needed

Treat Symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing Media This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products When heated, toxic and corrosive vapours/gases may be formed. During fire, toxic gases

(CO, CO2) are formed.

Unusual Fire & Explosion Hazards No unusual fire or explosion hazards noted.

Specific hazards Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).

5.3. Advice for firefighters

Special Fire Fighting Procedures If possible, fight fire from protected position. Avoid breathing fire vapours. Ventilate closed

spaces before entering them. Containers close to fire should be removed immediately or

cooled with water.

Protective equipment for fire-fighters Self contained breathing apparatus and full protective clothing must be worn in case of

fire

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with skin and eyes. In case of inadequate ventilation, use respiratory protection.

6.2. Environmental precautions

Do not discharge onto the ground or into water courses.

6.3. Methods and material for containment and cleaning up

Stop leak if possible without risk. DO NOT touch spilled material! When dealing with a spillage, please consult the section relating to suitable protective measures. Wear necessary protective equipment. Absorb spillage with non-combustible, absorbent material. Ensure that waste and contaminated materials are collected and removed from the work area as soon as possible in a suitably labelled container. Wash thoroughly after dealing with a spillage.

6.4. Reference to other sections

For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Read and follow manufacturer's recommendations. Do not handle broken packages without protective equipment. Do not use contact lenses. Keep away from heat, sparks and open flame.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep upright. Do not mix with other chemicals. Keep separate from food, feedstuffs, fertilisers and other sensitive material. Store separate from other products which react with acids or bases and strong oxidising agents.

7.3. Specific end use(s)

Usage Description The identified uses for this product are detailed in Section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Name	STD	TWA	8 Hrs	STEL	15 Min	Notes
ETHANOL	OEL			1000 ppm		
	WEL	1000 ppm	1920 mg/m3			
SODIUM	OEL	-		-	2 mg/m3	-
HYDROXIDE	WEL	No Std	No Std	No Std	2 mg/m3	

Ingredient Comments OEL - Occulational Exposure Limit - Ireland, Occupational Exposure Limits 2011

WEL - Workplace Exposure Limits - EH40/2005 Workplace exposure limits

8.2. Exposure controls

8.2.1 Engineering measures

Provide adequate ventilation.

8.2.3 Protective equipment

Eye protection Avoid contact with Eyes

Skin protection Hand protection not required

Other protection None required.

8.2.4 Hygiene measures

Wash hands before breaks and immediately after handling the product. When using, do not eat, drink or smoke. Take off immediately all contaminated clothing. Avoid contact with skin, eyes and clothing.

8.2.5 Environmental Exposure Controls

Keep container tightly sealed when not in use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

a) Appearance Liquidb) Colour Green, Clear

c) Odour No information available

d) pH-Value, Conc. Solution > 11

e) Melting point (°C) No information available
 f) Initial boiling point and boiling range (°C) No information available

Not considered to be explosive

Flash point (°C) No information available g) h) **Evaporation rate** No information available i) **Evaporation Factor** No information available Flammability Limit - Lower(%) No information available j) k) Flammability Limit - Upper(%) No information available No information available I) Vapour pressure m) Vapour density (air=1) No information available

n) Relative density 0.976+/- 0.005

o) Bulk Density
 p) Solubility
 d) No information available
 e) Decomposition temperature (°C)
 e) No information available
 e) Partition coefficient; n-octanol/water
 f) No information available
 h) Auto Ignition Temperature (°C)
 f) No information available

u) Viscosity No information available

w) Oxidising properties Does not meet the criteria for oxidising

9.2. Other information

V)

No information available

SECTION 10: STABILITY AND REACTIVITY

Explosive properties

10.1. Reactivity

Reaction with Oxidisers.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

Reaction with: See section 10.1 for information on hazardous reactions.

Hazardous Polymerisation Will not polymerise.

10.4. Conditions to avoid

Avoid excessive heat for prolonged periods of time. Avoid contact with oxidisers. Do not mix with other chemicals unless listed on directions. Avoid storing in large quantities or for long periods of time.

10.5. Incompatible materials

Materials To Avoid Avoid oxidising substances. Do not mix with other chemicals unless listed on directions.

10.6. Hazardous decomposition products

During fire, toxic gases (CO, CO2) are formed.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

11.1.1 Toxicological Information

No toxicological information for the overall finished product.

Toxicological Information on ingredients

Name	Identifier	Acute Toxicity (Oral LD50)	Acute Toxicity (Dermal LD50)	Acute Toxicity (Inhalation LC50)
2-BUTOXYETHANOL	CAS: 111-76-2	1746 mg/kg Rat REACH dossier information	0.63 mL/kg Rabbit REACH dossier information	450 ppm (vapours) Rat 4 hours REACH dossier information
ETHANOL	CAS: 64-17-5	No information available	No information available	No information available
SODIUM HYDROXIDE	CAS: 1310-73-2	325 mg/kg bw Rabbit REACH dossier information	1350 mg/kg Rabbit IUCLID chemical data sheet.	No information available
SODIUM XYLENE SULPHONATE	CAS: 1300-72-7	> 7000 mg/kg Rat REACH dossier information	> 2000 mg/kg REACH dossier information	No information available
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	CAS: 68439-57-6	No information available	No information available	No information available

11.1.2 Acute toxicity:

Acute Toxicity (Oral LD50)No toxicological information for the overall finished product.Acute Toxicity (Dermal LD50)No toxicological information for the overall finished product.Acute Toxicity (Inhalation LC50)No toxicological information for the overall finished product.

11.1.3 Skin Corrosion/Irritation:

No specific symptoms noted.

11.1.4 Serious eye damage/irritation:

No specific symptoms noted.

11.1.5 Respiratory or skin sensitisation:

Respiratory sensitisationNo specific symptoms noted.Skin sensitisationMay cause discomfort if swallowed.

11.1.6 Germ cell mutagenicity:

Genotoxicity - In VitroNo information available.Genotoxicity - In VivoNo information available.

11.1.7 Carcinogenicity:

Carcinogenicity No information available.

11.1.8 Specific target organ toxicity - single exposure:

STOT - Single exposure No information available.

STOT - Repeated exposure No information available.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Ecotoxicity

The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. The product may affect the acidity (pH-factor) in water with risk of harmful effects to aquatic organisms.

12.2. Toxicity

No ecological toxicity available on the overall finished product.

Ecological Information on ingredients

Name	Identifier	Acute Toxicity – Aquatic Invertebrates	Acute Toxicity – Aquatic Plants	Acute Toxicity – Fish
2-BUTOXYETHANOL	CAS: 111-76-2	EC50 48 hours 1550 mg/l Daphnia magna REACH dossier information	EC50: 72 hr =911mg/l NOEC :72hr= 88mg/l Pseudokirchnerella subcapitata REACH dossier information	LC50 96 hours 1474 mg/l Onchorhynchus mykiss (Rainbow trout) REACH dossier information
ETHANOL	CAS: 64-17-5	No information available	No information available	No information available
SODIUM HYDROXIDE	CAS: 1310-73-2	EC50 48 hours 40.4 ug/L Ceriodaphnia sp REACH dossier information	No information available	LC50 96 hours 45.4 mg/l Onchorhynchus mykiss (Rainbow trout) IUCLID chemical data sheet.
SODIUM XYLENE SULPHONATE	CAS: 1300-72-7	EC50 48 hours > 1020 mg/l Daphnia magna REACH dossier information	EC50 96 hours 758 mg/l Pseudokirchnerella subcapitata REACH dossier information	LC50 96 hours > 1000 mg/l Onchorhynchus mykiss (Rainbow trout) REACH dossier information
Sulfonic acids, C14-16- alkane hydroxy and C14- 16-alkene, sodium salts	CAS: 68439-57-6	No information available	No information available	No information available

12.3. Persistence and degradability

Degradability The degradability of the product has not been stated.

12.4 Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

12.5. Mobility in soil

Mobility: The product is soluble in water.

12.6. Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB substances.

12.7. Other adverse effects

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

General information

When handling waste, consideration should be made to the safety precautions applying to handling of the product.

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

SECTION 14: TRANSPORT INFORMATION

14.1. UN number

UN No. (ADR/RID/ADN)

Not applicable
UN No. (IMDG)

Not applicable
UN No. (ICAO)

Not applicable

14.2. UN proper shipping name

Proper Shipping Name Not applicable

14.3. Transport hazard class(es)

ADR/RID/ADN Class Not applicable
ADR Label No. Not applicable
IMDG Class Not applicable
ICAO Class/Division Not applicable

Transport Labels

14.4. Packing group

ADR/RID/ADN Packing

Not applicable

group

IMDG Packing groupNot applicableICAO Packing groupNot applicable

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant

No.

14.6. Special precautions for user

EMSNot applicableEmergency Action CodeNot applicableHazard No. (ADR)Not applicableTunnel Restriction CodeNot applicable

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable

SECTION 15: REGULATORY INFORMATION

15.1.1 EU Legislation

Dangerous Substance Directive 67/548/EEC. Dangerous Preparations Directive 1999/45/EC. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

15.1.2 Approved Code of Practice

2016 Code of Practice for the Safety, Health and Welfare at Work(Chemical Agents) Regulations 2001 (S.I. No. 619 of 2001)

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

Indication of Changes

Revision Date 25/06/2015

Revision 2

Risk Phrases in Full R35 Causes severe burns.

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

R36/38 Irritating to eyes and skin.

R36/37/38 Irritating to eyes, respiratory system and skin.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Hazard Statements In Full H319 Causes serious eye irritation

H314 Causes severe skin burns and eye damage

H315 Causes skin irritation
H332 Harmful if inhaled
H302 Harmful if swallowed
H312 Harmful in contact with skin
H225 Highly flammable liquid and vapour
H411 Toxic to aquatic life with long lasting effects

Disclaimer This information relates only to the specific material designated and may not be valid for such material

used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.